



DESICCANT CLAY

Version 2.0

Revision Date 10.12.2010

Print Date 13.12.2010

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product information

Trade name : DESICCANT CLAY

Use of the Substance/Mixture : Desiccant

Company : OKER-CHEMIE GMBH
Im Schleeke 77
38642 Goslar
Germany

Telephone : +49 (0)53 21 - 7 51-34 15

E-mail address : infoSDS@hcstarck.com

Responsible Department : Corporate HSEQ

Emergency telephone : +49(0)551/19240

2. HAZARDS IDENTIFICATION

GHS Classification

No classification

Classification (67/548/EEC, 1999/45/EC)

No classification

Respirable crystalline silica (including quartz, cristobalite, tridymite) is not detectable.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical nature : Substance

Hazardous components

Chemical Name	CAS-No. EC-No. Registration number	Classification	R-phrase(s)	GHS Classification	Concentration [%]
Bentonite	1302-78-9 215-108-5				> 98
Silicon dioxide	7631-86-9 231-545-4				< 2

4. FIRST AID MEASURES

Inhalation : Remove to fresh air.
If symptoms persist, call a physician.

Skin contact : Wash off with soap and water.



DESICCANT CLAY

Version 2.0

Revision Date 10.12.2010

Print Date 13.12.2010

- If skin irritation occurs, seek medical advice/attention.
- Eye contact : Rinse with plenty of water.
If eye irritation persists, consult a specialist.
- Ingestion : Clean mouth with water and drink afterwards plenty of water.
Obtain medical attention.

5. FIRE-FIGHTING MEASURES

- Suitable extinguishing media : Extinguishing methods depends upon fire in vicinity poses.
The product itself does not burn.
- Unsuitable extinguishing media : None known.
- Specific hazards during fire fighting : None known.
- Special protective equipment for fire-fighters : In the event of fire, wear self-contained breathing apparatus.
- Further information : None known.

6. ACCIDENTAL RELEASE MEASURES

- Personal precautions : Avoid formation and deposition of dust.
Use personal protective equipment.
- Environmental precautions : No special environmental precautions required.
- Methods for cleaning up : Use mechanical handling equipment.
Avoid dust formation.
Fill into labelled, sealable containers.

7. HANDLING AND STORAGE

Handling

- Advice on safe handling : Avoid dust formation.
Ensure adequate ventilation and, if necessary, exhaust ventilation when handling or transferring the product.
Ensure that the occupational exposure limit value/s (OEL) and/or other limit values are complied with.
- Advice on protection against fire and explosion : No special precautions required.

Storage

- Requirements for storage areas and containers : No special requirements required.
- Further information on storage conditions : Store in tightly closed containers in a dry place.



DESICCANT CLAY

Version 2.0

Revision Date 10.12.2010

Print Date 13.12.2010

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Limit Values

Bentonite; CAS-No.: 1302-78-9

Basis : EH40 (UK)
Note : No limit value established.

Silica, amorphous; CAS-No.: 7631-86-9

Basis : EH40 (UK)
Threshold limits
TWA : 6 mg/m³ Inhalable dust
TWA : 2,4 mg/m³ Respirable dust
Note : —

Bentonite; CAS-No.: 1302-78-9

Basis : OEL (EU)
Note : No limit value established.

Silicon dioxide; CAS-No.: 7631-86-9

Basis : OEL (EU)
Note : No limit value established.

Personal protective equipment

Respiratory protection : Respiratory protective device with particle filter EN 143

Hand protection : Butyl-rubber, Natural rubber, Nitrile rubber
The data about break through time/strength of material is not valid for undissolved solids/dust.

Eye protection : Safety glasses

Skin and body protection : Protective suit

Hygiene measures : Handle in accordance with good industrial hygiene and safety practice.
Keep working clothes separately.

Environmental exposure controls

General advice : No special environmental precautions required.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

Form : granular

SAFETY DATA SHEET
according to Regulation (EC) No. 1907/2006



DESICCANT CLAY

Version 2.0

Revision Date 10.12.2010

Print Date 13.12.2010

Colour : beige
grey

Odour : odourless

Safety data

Lower explosion limit : not applicable

Oxidizing properties : not oxidizing

Autoignition temperature : not auto-flammable

pH : 7,8
at 80,00 g/l
20 °C
Note: aqueous suspension

Melting point/range : Note: no data available

Density : Note: no data available

Bulk density : 925 - 950 kg/m³

Water solubility : Note: slightly soluble

10. STABILITY AND REACTIVITY

Conditions to avoid : None known.

Materials to avoid : None known.

Hazardous decomposition products : No decomposition if stored and applied as directed.

11. TOXICOLOGICAL INFORMATION

Further information : No toxicology information is available.

12. ECOLOGICAL INFORMATION

Further information on ecology

Additional ecological information : No information on ecology is available.



DESICCANT CLAY

Version 2.0

Revision Date 10.12.2010

Print Date 13.12.2010

13. DISPOSAL CONSIDERATIONS

- Product** :
- The Federal, regional and local rules and regulations governing disposal must be complied with.
 - This product cannot be classified with disposal identification key acc. to the EU disposal directives as a classification results from the intended utilisation purpose of the consumer

14. TRANSPORT INFORMATION

ADR
Not dangerous goods

IATA
Not dangerous goods

IMDG
Not dangerous goods

15. REGULATORY INFORMATION

GHS-Labeling

No labelling required

Labelling according to EC Directives

Directive 67/548/EEC

No labelling required

National legislation

Major Accident Hazard Legislation

- : 96/82/EC
Annex I
Number: Is not subject to the Seveso II Directive.



DESICCANT CLAY

Version 2.0

Revision Date 10.12.2010

Print Date 13.12.2010

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.